


# ROOF VENTS

**anjos**  
ventilation



## CARA

dia. 125 • 150 • 160 mm

PLASTIC

AIR SUPPLY AND EXHAUST

TWO COLOURS: TERRACOTTA OR SLATE


# CARA

CARA roof vents supply and exhaust air in systems that use mechanical extract ventilation (single and dual flow MEV systems, cooker hoods).



## IMPORTANT

- Malleable lead flashing for easy installation
- Plastic cover and connection pipe
- Choice of two colours: terracotta or slate



## PRESENTATION

CARA roof vents fit on virtually any tile or slate roof and feature malleable lead flashing to prevent water penetration. They are available in two colours: terracotta or slate.



Slate




Terracotta

## INSTALLATION


Shape the lead flashing ② by moulding it against the surface of the roof (avoid pressing on the edges of the crimping).

In the case of a tile roof, lay shims in the direction of the battens to support the lead flashing at points ④. The sheath ③ that fits into the vent pipe is rigidly connected to the malleable lead flashing ②.

**!** Water may leak in through the roof vents if they are fitted on roofs exposed to wind loads and are used to supply air or are used intermittently. It is therefore important to check the seals between the pipe and the ventilation box and the pipe and the roof vent.



- ① Rain cap
- ② Lead flashing
- ③ Connection pipe
- ④ Shims in the direction of the battens




	A (mm)	B (mm)	D (mm)	E (mm)	F (mm)	G (mm)	H (mm)	Weight (kg)
CARA 125	81	241	125	53	500	400	140	3,4
CARA 150	81	241	150	53	500	400	140	3,4
CARA 160	81	241	160	53	500	400	140	3,4

# CHARACTERISTICS

## AIR FLOW

Changes in the flow rates as a function of the pressure differential, expressed in Pascals.



The recommended maximum flow rates for the roof vents are set at 20 Pa.

	Flow rate @ 20 Pa (m³/h)	
	Air exhaust	Air supply
CARA 125	320	170
CARA 150	320	210
CARA 160	320	210

## PRODUCT CODES

Description	Code
CARA 125 terracotta	6022
CARA 150 terracotta	6023
CARA 160 terracotta	6024

Description	Code
CARA 125 slate	6027
CARA 150 slate	6028
CARA 160 slate	6029